	Application No.	Applicant(s)	
	10/620 700	FLEISCHHACKER, CHRISTIAN	
Notice of Allowability	10/680,709 Examiner	Art Unit	
	Democraten Sinch	2614	
	Ramnandan Singh	2614	\dashv
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>July 23, 2007</u> .			
2. The allowed claim(s) is/are <u>1-17</u> .			
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 			
2. Certified copies of the priority documents have been received in Application No			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) hereto or 2) to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)	_		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	• •	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary Paper No./Mail Da		
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	Paper No./Mail Da 7.	nent/Comment	
4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Statement	ent of Reasons for Allowance	
of Biological Material	9. Other		

DETAILED ACTION

This action is in response to applicant's response filed on July 23,
 Claims 1-17 are pending in the present application.

Drawings

2. With the submission of the new drawings of Figures 1 and 2, the objection to the drawings is withdrawn.

Specification

3. The amendment to the specification is approved.

REASONS FOR ALLOWANCE

4. The following is an examiner's statement of reasons for allowance:

Claim 1 recites a bridge circuit for echo suppression for a reception signal of a communication device connected to a transmission line and limitations for the following: " a variable simulation device coupled to at least one circuit section of the at least one bridge branch, the variable simulation device configured to simulate the at least one circuit section of the at least one bridge branch and to balance the bridge circuit, wherein the

Art Unit: 2614

at least one bridge branch comprises at least three circuit sections for balancing". Examiner interprets the at least one bridge, as shown in Fig. 1, comprising three circuit sections, Z3, Z4 and Z5. Fig. 2 has two bridges, each comprises three circuit sections (Z31, Z41, Z51) and (Z32, Z42, and Z42). The specification supports this limitation [Para: 0024; 0029]. Figs. 1 and 2 illustrate the bridge arrangement. The amendment to the claim has overcome the prior art of record. Therefore, claim 1 is indicated allowable.

Page 3

Claim 9 is essentially similar to claim 1 and hence is indicated allowable. Further, claims 2-8 being dependent from claim 1 and claim 10-17 being dependent from claim 9 are also indicated allowable.

New search updates reveal no other prior art which teaches the limitations in the context of the claims.

5. The claims have been re-numbered as follows:

CLAIMS NUMBER (ORIGINAL) CLAIMS NUMBER (FINAL)

1-17

1-17

Claim no. 1 along with figure number 2 will be published in the Official Gazette.

Application/Control Number: 10/680,709 Page 4

Art Unit: 2614

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ramnandan Singh whose telephone number is (571) 272-7529. The examiner can normally be reached on M-TH (8:00-5:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Fan Tsang can be reached on (571) 272-7547. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Ramnandan Singh Primary Examiner Art Unit 2614